

Prepared For: Indy E Cigs
Sample ID: Revolt
Batch ID: CBD25-REVOLT-052923-S
Sample Weight (mg): 4551.18
Material: Gummy
Laboratory ID: 2023-06-06-006
Date Received: 6/6/2023
Date Reported: 6/7/2023
Testing Protocol: Potency
Testing Method: HPLC



Water Activity **pH** **Moisture** **Density (g/mL)** **Terpenes**
NT **NT** **NT** **NT** **NT**

Cannabinoid Potency Analysis

| Analyte | LOQ (%) | (%) | (mg/g) | mg/Sample |
|------------------|---------|--------------|------------|-------------|
| Δ10-THC (R+S) | 0.01 | 0.00% | 0.0 | 0.0 |
| Δ9-THC | 0.01 | 0.00% | 0.0 | 0.0 |
| Δ9-THCA | 0.01 | 0.00% | 0.0 | 0.0 |
| Δ8-THC | 0.01 | 0.00% | 0.0 | 0.0 |
| Δ9-THCP | 0.01 | 0.00% | 0.0 | 0.0 |
| Δ9-THC-O Acetate | 0.01 | 0.00% | 0.0 | 0.0 |
| HHC (R+S) | 0.01 | 0.00% | 0.0 | 0.0 |
| Δ9-THCV | 0.01 | 0.00% | 0.0 | 0.0 |
| Δ9-THCVA | 0.01 | 0.00% | 0.0 | 0.0 |
| CBD | 0.01 | 0.53% | 5.3 | 24.3 |
| CBDa | 0.01 | 0.00% | 0.0 | 0.0 |
| CBDV | 0.01 | 0.00% | 0.0 | 0.0 |
| CBDVA | 0.01 | 0.00% | 0.0 | 0.0 |
| CBG | 0.01 | 0.00% | 0.0 | 0.0 |
| CBGA | 0.01 | 0.00% | 0.0 | 0.0 |
| CBN | 0.01 | 0.00% | 0.0 | 0.0 |
| CBNA | 0.01 | 0.00% | 0.0 | 0.0 |
| CBC | 0.01 | 0.00% | 0.0 | 0.0 |
| CBCA | 0.01 | 0.00% | 0.0 | 0.0 |
| Total | | 0.53% | 5.3 | 24.3 |



Agrozen Laboratory
Authenticity QR Code

Analyst:
 Josh Peterson
Date Tested:
 6/6/2023

0.53%
 Total Cannabinoids

0.00%
 Total THC

0.53%
 Total CBD

Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation, ND= Not Detected, NT = Not Tested, NR = Not Reported, Density tested at a temperature range of 19-24 °C., Water Activity tested at a humidity range of 0-90% relative humidity.

Final Approval:



Jeff Peterson, Lab Director



Brian Schroeder, Managing Partner

Date Signed
 and Approved:
 6/7/2023

417 Ransdell Road,
 Lebanon, IN 46052
 (844)-655-6935
 agrozenlabs.com



Agrozen Labs provides COA's based on samples received into our facility and analysis according to our SOP's. Tests are completed at our certified testing laboratory through the State of Indiana by certified laboratory technicians. Reference standards and test samples are measured against submitted samples to ensure testing accuracy. Agrozen Labs has generated the information for our client who reserves all rights to the report. The report may not be duplicated, except in full, or altered without written consent from Agrozen Labs.